

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF ACCREDITATION**

LABORATORY NAME AND ADDRESS
BEAUMONT HOSPITAL ROYAL OAK
CLINICAL PATHOLOGY DEPARTMENT
3601 W 13 MILE ROAD
ROYAL OAK, MI 48073-6712

CLIA ID NUMBER
23D0667009

EFFECTIVE DATE
02/09/2023

LABORATORY DIRECTOR
ANN M BLENC M.D.

EXPIRATION DATE
02/08/2025

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Monique Spruill
Monique Spruill, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

496 Certs2_011023

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>	<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
HISTOCOMPATIBILITY (010)	08/08/1995	ABO & RH GROUP (510)	08/08/1995
BACTERIOLOGY (110)	08/08/1995	ANTIBODY TRANSFUSION (520)	08/08/1995
MYCOBACTERIOLOGY (115)	08/08/1995	ANTIBODY NON-TRANSFUSION (530)	08/08/1995
MYCOLOGY (120)	08/08/1995	ANTIBODY IDENTIFICATION (540)	08/08/1995
PARASITOLOGY (130)	08/08/1995	COMPATIBILITY TESTING (550)	08/03/2011
VIROLOGY (140)	08/08/1995		
SYPHILIS SEROLOGY (210)	07/30/2007		
GENERAL IMMUNOLOGY (220)	08/08/1995		
ROUTINE CHEMISTRY (310)	08/08/1995		
URINALYSIS (320)	08/08/1995		
ENDOCRINOLOGY (330)	08/08/1995		
TOXICOLOGY (340)	08/08/1995		
HEMATOLOGY (400)	08/08/1995		

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.

CLIA ID Number: 23D0667009

**BEAUMONT HOSPITAL ROYAL OAK
CLINICAL PATHOLOGY DEPARTMENT
3601 W 13 MILE ROAD
ROYAL OAK, MI 48073-6712**



STATE AGENCY ADDRESS AND PHONE NUMBER:

**MI DEPT OF LICENSING AND REGULATORY AFFAIRS
LABORATORY IMPROVEMENT SECTION
BOX 30664
611 W OTTAWA STREET FIRST FLOOR
LANSING, MI 48909
(517)241-2648**

LABORATORY MAILING ADDRESS: