Beaumont

Beaumont Laboratory

Dearborn • Farmington Hills • Grosse Pointe • Royal Oak • Taylor • Trenton • Troy • Wayne

Trichomonas by PCR: Testing Update #3

Effective Date: March 15, 2021

Beaumont Laboratory will resume testing Trichomanas by PCR effective March 15, 2021. These reagents have stabilized and healthcare providers can resume ordering molecular detection of *Trichomonas vaginalis* on specimens from both males and females. Ordering information can be found below and in the <u>Laboratory Test Directory</u>. Please note, as testing supplies continue to stabilize, testing delays may still occur for the next several months.

Test Information:

Name: Trichomanas vaginalis by PCR

Order Code: LAB7076- Farmington Hills, Grosse Pointe, Royal Oak, Troy

LAB03848 – Dearborn, Taylor, Trenton, Wayne

CPT Code: 87661

Specimen: Vaginal/Endocervical swab collected in Cepheid Xpert swab media or

Universal Viral Transport (UVT) media

Urine collected in Cepheid Xpert Urine Specimen Collection kit or a

sterile container

Schedule: Results are available within 48 hours (reagent permitting)

If you have questions, please contact please contact your Beaumont Laboratory Customer Service Department:

• Farmington Hills, Grosse Pointe, Royal Oak and Troy: 800-551-0488 or 248-551-1155, Option 5

• Dearborn, Taylor, Trenton and Wayne: 800-245-3725, Option 1

Laboratory Test Directory: http://beaumontlaboratory.com/test-lab-directory.

Date submitted: March 11, 2021

Submitted by: Barbara Robinson-Dunn, PhD, D(ABMM), F(AAM), FIDSA, System

Director, Microbiology.

Daniel Ortiz, PhD, D(ABMM), Associate Director, Microbiology and

Molecular Pathology