

# Beaumont

## Beaumont Laboratory

Dearborn • Farmington Hills • Grosse Pointe • Royal Oak • Taylor • Trenton • Troy • Wayne

---

### Electrolytes and Osmolality Profile, Fecal

Effective Date: August 2, 2022

Electrolytes and Osmolality profile, Fecal will no longer be performed in house, and instead be sent to ARUP reference lab for testing.

#### New Test Information:

**Name:** Electrolyte and Osmolality profile, Fecal

**Order code:** LAB7098

**CPT codes:** 84999, 84302, 83735

**Specimen:** 24 hour or random liquid stool

**Performing Reference Lab:** ARUP

**Results available:** 48 hours

**Test methodology:** Quantitative Ion-Selective Electrode/Freezing point

If you have questions, please contact your Beaumont Laboratory Customer Service Department:

- Farmington Hills, Grosse Pointe, Royal Oak and Troy: 800-551-0488 or 248-551-1155, Option 5
- Dearborn, Taylor, Trenton, and Wayne: 800-245-3725, Option 1

Laboratory Test Directory: <https://beaumontlaboratory.com/lab-test-directory>

---

Date submitted: August 2, 2022

Submitted by: Caitlin Schein, MD, System Medical Director, Clinical Chemistry