### **Beaumont Laboratory**

Farmington Hills - Grosse Pointe - Royal Oak - Troy

# **CRITICAL (PANIC) VALUES** (Excluding Outreach Nursing Homes)

CHEMISTRY	CRITICA	L VALUES	Unit of measure	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
	Greater Than	Less Than		(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Ammonia	120		mcmol/L	X	X	
Amylase	300		U/L	X	X	
AST (Aspartate Aminotransferase)	2000		U/L	X		X
Bilirubin, Total & Neonatal 0-23 hrs	7.9		mg/dL	X	X	
24-35 hrs	10.9		mg/dL	X	X	
36-47 hrs	13.9		mg/dL	X	X	
48-59 hrs	14.9		mg/dL	X	X	
60-71 hrs	15.9		mg/dL	X	X	
72-83 hrs	16.9		mg/dL	X	X	
84-144 hrs	17.9		mg/dL	X	X	
145 hrs-13 days	15.0		mg/dL	X	X	
14-20 days	15.0		mg/dL	X	X	
Bilirubin, Direct, Neonatal 0-60 days	1.0		mg/dL	X		X
BUN	100		mg/dL	X		X
Results will not be called to designa	ted Royal Oak ne	ephrologists				
Calcium, Ionized	6.5	3	mg/dL	X	X	
Calcium, Total	13	6.5	mg/dL	X	X	
Creatine Kinase	20,000		U/L	X	X	
Creatinine 0 - 18 years	2.8		mg/dL	X	X	
19-116 years	7.0		mg/dL	X		X
Results will not be called to designa	ted Royal Oak ne	ephrologists	•	1		•
≥117 years	2.8		mg/dL	X	X	
Glucose,FBS or Random 0–23 mos	180	45	mg/dL	X	X	
IP, EC or POC: 24 months – 16 years	300	50	mg/dL	X		
<b>OP/Outreach:</b> 2 years–16 years	300	50	mg/dL			X
IP, EC or POC: 17-116 years	500		mg/dL	X		
<b>IP, EC or POC</b> : 17-116 years		50	mg/dL	X		
OP/Outreach: 17-116 years	500		mg/dL		Х	
<b>OP/Outreach:</b> 17-116 years		50	mg/dL			X
Glucose, All Sites ≥117 years	300	50	mg/dL	X	X	
Glucose, CSF 0-24 months	200		mg/dL	X	X	
>24 months	300		mg/dL	X	X	
HAV IgM	Critical val	ue reported if tes	t is positive	X		X
Lactic Acid	3.9		mmol/L	X		X
Magnesium	6	1	mg/dL	X	Х	

### **Beaumont Laboratory**

Farmington Hills - Grosse Pointe - Royal Oak - Troy

# CRITICAL (PANIC) VALUES (Excluding Outreach Nursing Homes)

CHEMISTRY continued	CRITICAL V	ALUES	Unit of	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
	Greater Than	Less Than	measure	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Osmolality	320	240	mOsmol/kg	X	X	
pH, Venous	7.6	7.2		X	X	
Phosphorus 0-14 days	10.5		mg/dL	X		X
> 14 days - Adult	>10	<1	mg/dL	X		X
Thyroid Stimulating Hormone 0-2 days	34.6		uIU/mL	X	X	
> 2 days - < 3 years	30	0.1	uIU/mL	X	X	
FT4 OP<3 years	6	0.2	ng/dL	X	X	
Troponin I*	0.29		ng/mL	X	X	
Results on patients from 6-East (Royal	Oak) will NOT be ca	alled to the phy	sician or nursi	ng unit		
Troponin I Farmington Hills	0.49		ng/mL	X	X	
Troponin I Grosse Pointe	0.19		ng/mL	X	X	
Uric Acid	15		mg/dL	X		X
Uric Acid – Rasburicase	15		mg/dL	X	X	
Electrolytes:						
Sodium 0-1 day	166	120	mmol/L	X	X	
2 Days – 17 years	155	125	mmol/L	X	X	
18-116 years	160	120	mmol/L	X	X	
≥ 117 years	155	125	mmol/L	X	X	
Potassium 0-1 day	7.5	2.7	mmol/L	X	X	
2 days – 3 months	6.2	2.7	mmol/L	X	X	
4 months - Adult	6.1	2.7	mmol/L	X	X	
Chloride	130	76	mmol/L	Х		X
CO <sub>2</sub>	40	10	mmol/L	X	X	
Gases:						
Oxyhemoglobin (arterial specimen only)		85	%	X	X	
PO <sub>2</sub> (arterial specimens only)		50	mmHg	Х	X	
PCO <sub>2</sub> (arterial & capillary specimens)	70		mmHg	Х	X	
рН	7.6	7.2		Х	X	
Total CO <sub>2</sub>						
Farmington Hills, Royal Oak, Troy	40	10	mmol/L	Х	X	
Grosse Pointe Only	40	15	mmol/L	Х	X	
Hemoglobin 0 - 14 days	25	10	g/dL	Х	X	
15 - 28 days	20	9	g/dL	Х	X	
29 days – 2 years	20	8	g/dL	Х	X	
EC & Inpatients Only 3 years-Adult	20	<6.5	g/dL	Х	X	
Outpatients 3 years - Adult	20	<7	g/dL	X	X	
Carboxyhemoglobin	20		%	X	X	

### **Beaumont Laboratory**

Farmington Hills - Grosse Pointe - Royal Oak - Troy

## CRITICAL (PANIC) VALUES (Excluding Outreach Nursing Homes)

CHEMISTRY continued	CRITICAL VA	LUES	Unit of	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
	Greater Than	Less Than	measure	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Methemoglobin	9.9		%	X	X	
Sulfhemoglobin	Positive			X	X	
CHEMISTRY	CRITICAL VA	LUES	Unit of	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
Toxicology/TDM	Greater Than	Less Than	measure	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Acetaminophen	50		mcg/mL	X	X	
Acetone	>50		mg/dL	X	X	
Allobarbital	50		mcg/mL	X		X
Amikacin (peak)	35		mcg/mL	X		X
Amikacin (trough)	10		mcg/mL	X		X
Amiodarone	5		mcg/mL	X	X	
Amitriptyline	500 (+ metabolite)		ng/mL	X	X	
Amobarbital	20		mcg/mL	X		X
Aprobarbital	40		mcg/mL	X		X
Barbital	70		mcg/mL	X		X
Butabarbital	20		mcg/mL	X		X
Butalbital	30		mcg/mL	X		X
Caffeine	30		mcg/mL	X		X
Carbamazepine	15		mcg/mL	X		X
Carbamazepine, unbound	5		mcg/mL	X		X
Carbamazepine epoxide	4		mcg/mL	X		X
Clomipramine	1000 (+ metabolite)		ng/mL	X		X
Clonazepam	100		ng/mL	X		X
Cyclosporine A	500		ng/mL	X		X
Desipramine	500		ng/mL	X	X	
Digoxin 0-70 years	2.5		ng/mL	X	X	
> 70 years	2		ng/mL	X	X	
Doxepin	500 (+ metabolite)		ng/mL	X	X	
Ethanol 0-12 years	50		mg/dL	X	X	
13 - 20 years	` ,		mg/dL	X	X	
* Ethanol for Toxic Alcohol screens in To	xicology does not hav	e age specific	criticals. On	ly critical is 250.		
≥21 years	400		mg/dL	X	X	
≥100 years	250		mg/dL	X	X	
Ethosuximide	100		mcg/mL	X		X
Fluoxetine	2000 (+ metabolite)		ng/mL	X		X

### **Beaumont Laboratory**

Farmington Hills - Grosse Pointe - Royal Oak - Troy

## CRITICAL (PANIC) VALUES (Excluding Outreach Nursing Homes)

CHEMISTRY	CRITICAL VA	ALUES	Unit of measure	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
Toxicology/TDM continued	Greater Than	Less Than		(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Gabapentin	20		mcg/mL	X		X
Gentamicin (peak)	12		mcg/mL	X		X
Gentamicin (trough)	2.5		mcg/mL	X		X
Imipramine	500 (+ metabolite)		ng/mL	X	X	
Isopropanol	50		mg/dL	Х	Х	
Lamotrigine	25		mcg/mL	Х		X
Levetiracetam	70		mcg/mL	Х		X
Lidocaine	7		mcg/mL	Х	Х	
Lithium	1.5		mmol/L	Х	Х	
Mephobarbital	15		mcg/mL	X		X
Methanol	15		mg/dL	X	X	
Metharbital	10		mcg/mL	X		X
Mycophenolic Acid	≥ 10.10	≤ -1.00	mcg/mL	X		X
Nortriptyline	500		ng/mL	X	X	
Oxcarbazepine Metabolite (MHD)	50		mcg/mL	X		X
Pentobarbital	20		mcg/mL	X	X	
Phenobarbital	20		mcg/mL	Х	X	
Phenytoin	25		mcg/mL	Х	Х	
Phenytoin, Free	3		mcg/mL	Х	X	
Primidone	15		mcg/mL	Х		X
Procainamide	16		mcg/mL	Х		X
Procainamide and NAPA	30		mcg/mL	Х		X
Propafenone	8		mcg/mL	X		X
Quinidine	8		mcg/mL	Х		X
Salicylate	30		mg/dL	Х	X	
Secobarbital	15		mcg/mL	X		X
Sirolimus	30		ng/mL	Х		X
Tacrolimus/FK 506	30		ng/mL	X		X
Theophylline	25		mcg/mL	X	X	
Thiocyanate	15		mcg/mL	X		X
Thiopental	30		mcg/mL	X		X
Tobramycin (peak)	12		mcg/mL	X		X
Tobramycin (trough)	2.5		mcg/mL	X		X

### **Beaumont Laboratory**

Farmington Hills - Grosse Pointe - Royal Oak - Troy

## CRITICAL (PANIC) VALUES (Excluding Outreach Nursing Homes)

CHEMISTRY  Toxicology/TDM continued	CRITICAL VA	ALUES	Unit of	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
	Greater Than	Less Than	measure	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Trazodone	5		mcg/mL	Х		X
Topiramate	50		mcg/mL	X		X
Trimipramine	500 (+ metabolite)		ng/mL	X		X
Valproic acid	150		mcg/mL	X		X
Vancomycin (peak)	50		mcg/mL	X		X
Vancomycin (trough)	20		mcg/mL	X		X
Zonisamide	80		mcg/mL	X		X
Cyclosporin 2	>1200		mcg/mL	X		X
Voriconazole	>6.0		mcg/mL	X		X
Fluorocytosine	>100		mcg/mL	X		X
Urinalysis						
Ketones All Ages ≥8 days	79		mg/dL	X		X
Results will not be called to Emergend	y Centers (Grosse Po	inte, Royal Oa	k and Troy)			
Sperm Presence Females <16 years Outpatients			Present			Х
Sperm Presence Females: NH			Present			X
Sperm Presence Females: Inpatients, EC			Present	X		
Sperm Presence Males < 10 years			Present	X		X

HEMATOLOGY		CRITICAL VALUES		Unit of	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
		Greater Than	Less Than	measure	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Hematocrit	0-14 days	70	15	%	X	X	
Hematocrit	≥ 15 days	60	15	%	X	X	
Hemoglobin	0 - 14 days	25	10	g/dL	X	X	
	15 - 28 days	20	9	g/dL	X	X	
	29 days – 2 years	20	8	g/dL	X	X	
EC & Inpatients Only	3 years-Adult	20	<6.5	g/dL	X	Х	
Outpatients	3 years - Adult	20	<7	g/dL	X	X	
Platelets	0 - 30 days	1,000	50	bill/L	X	X	
	31 days - Adult	1,000	20	bill/L	X	Х	
WBC, Total		100	2	bill/L	X	Х	
Grosse Pointe Only		25	2	bill/L	X	X	
Blasts >5%		If previously unknown		%	X	X	
Blasts <5%		If previously unknown		%	Х		X

### **Beaumont Laboratory**

Farmington Hills - Grosse Pointe - Royal Oak - Troy

## CRITICAL (PANIC) VALUES (Excluding Outreach Nursing Homes)

HEMATOLOGY continued	CRITICAL VALUES		Unit of	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
	Greater Than	Less Than	measure	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Blasts, CSF	≥ 1		per mcL	X*		X
				*X: Troy & 0	Grosse Pointe will call	during dayshift only
Neutrophils		0.5	bill/L	X	X	
Fibrinogen		100	mg/dL	Х	Х	
INR	≥ 5			Х	Х	
PTT	110		sec	Х	X	
Outpatient CBC						
Hemoglobin		7	g/dL	Х	X	
Platelets		20	bill/L	Х	X	
WBC		2	bill/L	Х	X	
Outpatient CBCD						
Hemoglobin		7	g/dL	Х	Х	
Platelets		20	bill/L	Х	Х	
WBC		2	bill/L	Х	X	
Neutrophils		0.5	bill/L	X	X	
Chemo CBC (No critical WBC or PLT)						
Hemoglobin		5.5	g/dL	X	X	
Chemo CBCD (No critical WBC, neut or PLT)		1		•		
Hemoglobin		5.5	g/dL	X	X	
Outpatient Chemo CBC (no critical WBC)						
Hemoglobin		6	g/dL	X	X	
Platelets		20	bill/L	X	X	
Outpatient Chemo CBCD (no critical WBC or neut)						
Hemoglobin		6	g/dL	X	X	
Platelets		20	bill/L	X	X	

### **Beaumont Laboratory**

Farmington Hills - Grosse Pointe - Royal Oak - Troy

### **CRITICAL (PANIC) VALUES** (Excluding Outreach Nursing Homes)

Red Alerts are called within 1 hour; 24 hours/7 days a week. Blue Alerts will be called between 7 a.m. and 7 p.m. Critical values effective for Farmington Hills on 01/15/2017

SPECIAL TESTING	CRITICAL VALUES		Unit of	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
	Greater Than	Less Than	measure	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Heparin Platelet Factor 4 Antibody	1.999		OD	X		X

MICROBIOLOGY	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
Critical values reported if test is <b>positive</b> on the following tests:	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Acid-Fast Bacilli (smear, culture, PCR)	X		X
Blastomyces, Histoplasma, Coccidioides, Candida auris, Cryptococcus (antigen, culture, PCR)	Х		X
Blood culture (gram stain, culture)	Х	X	
Blood parasite (antigen, smear)	X	X	
Bordetella pertussis (PCR)			X
Brucella, Francisella, Bacillus anthracis, Yersinia pestis culture, Burkholderia mallei or pseudomallei, pox viruses, novel viruses	X	X	
Clostridium difficile (toxin or PCR positive)			X
Coronavirus (COVID-19)		NH Only	
CRE/MDR Organisms			X
CSF positive (gram stain, culture, antigen, or PCR for bacteria, fungi or viruses)	X	X	
Eye Culture (Pseudomonas, AFB, fungi, and all organisms recovered on corneal scrapings)	X	Х	
Gram stain (STAT)	X	X	
Group A Strep (wound, skin, soft tissue) – culture or PCR			X
Internal Organ Tissue – gram stain or culture (excludes GI and Autopsy specimens)	X		X
Legionella Ag	X		X
N. gonorrhoeae or C. trachomatis positive by culture or PCR (<12 years)			X
Ova and parasite (antigen, microscopy, PCR)			X
Pneumocystis smear			X
Sterile Body Fluid positive - smear, culture or PCR for bacteria, fungi, or viruses (includes amniotic, bone marrow, organ preservation, pancreatic, pericardial, pleural, synovial, and ocular - aqueous or vitreous)	X	x	
Stool culture (E. coli O157:H7)			X
Strep Group B, DNA Ampl Probe (Intrapartum only)	X		

TRANSFUSION MEDICINE / BLOOD BANK	Inpatient	Outpatient/ Outreach	Outpatient/ Outreach
	(RED Alerts)	(RED Alerts)	(BLUE Alerts)
Positive Direct Antiglobulin Test (DAT) on a neonate (regardless of strength of reaction)	X	NA	NA
Suspected acute hemolytic transfusion reaction	X	X	NA

Document control: Revisions made through the Royal Oak Clinical Pathology Administration office.

Document Control Distribution: External online link sent to Beaumont Laboratory (FH, GP, Outreach, RO, Troy) medical, administrative and supervisory staff